arXiv:1405.7285v1 [cs.LO] 21 May 2014

PUC-Logic embedding of Lewis' Deontic Logics

Ricardo Queiroz de Araujo Fernandes[a,1], Edward Hermann Haeusler[b], Luiz Carlos Pereira[c]

[a] *Centro de Desenvolvimento de Sistemas*
QG do Exército, Bloco G, 2º Andar
Setor Militar Urbano, CEP 70630-901
Brasília, DF, Brasil
[b] *Departamento de Informática*
[c] *Departamento de Filosofia*
Pontifícia Universidade Católica do Rio de Janeiro
Rua Marquês de São Vicente, 225, Gávea, CEP 22453-900
Rio de Janeiro, RJ, Brasil

Abstract

We present a embedding of Lewis Deontic logics in PUC-Logic. We achieve this by representing the very basic ***CO*** logic and showing its relative completeness.

Keywords: Conditionals, Logic, Natural Deduction, Counterfactual Logic, Deontic Logic

1. Deontic logics

In [1, 2], Lewis presented his approach for Deontic logics based on systems of spheres in comparison to other formalisms. In [1], he presented two possible definition of the operator O, based on his counterfactual operators $\boxdot\!\!\rightarrow$ and $\boxdot\!\!\Rightarrow$. In [2], he gave the definition of four value structures. The definition based on a nesting \$ over the set I is equivalent to the definition of the truth of the operator $\boxdot\!\!\Rightarrow$. For this reason, we take $O(\phi|\psi) = \psi \boxdot\!\!\Rightarrow \phi$ as suggested in [1]. This deontic operator can be expressed in terms of labels as follows:

Definition 1.

$$O(\alpha^{\Sigma}/\beta^{\Omega}) \equiv (\beta^{\Omega,\bullet} \wedge (\beta^{\Omega} \rightarrow \alpha^{\Sigma})^{*})^{\circledcirc}$$

$$P(\alpha^{\Sigma}/\beta^{\Omega}) \equiv \neg O(\neg(\alpha^{\Sigma})/\beta^{\Omega})$$

We prove here that the PUC-ND is complete for the ***CO***-logic according to the axioms and rule of inference below. We write A for α^{Σ}, B for β^{Ω} and C for γ^{Θ}.

R1 All tautologies;

R2 Modus Ponens;

R3 If $A \equiv B$ is theorem, then $O(A/C) \equiv O(B/C)$ is a theorem;

R4 If $B \equiv C$ is theorem, then $O(A/B) \equiv O(A/C)$ is a theorem;

A1 $P(A/C) \equiv \neg O(\neg A/C)$;

A2 $O(A \wedge B/C) \equiv (O(A/C) \wedge O(B/C))$;

A3 $O(A/C) \rightarrow P(A/C)$;

[1] Thanks to PUC-Rio for the VRac sponsor. Thanks to DAAD (Germany) for the Specialist Literature Programme.

A4 $O(\top_n/C) \to O(C/C)$;

A5 $O(\top_n/C) \to O(\top_n/B \vee C)$;

A6 $(O(A/B) \wedge O(A/C)) \to O(A/B \vee C)$;

A7 $(P(\bot_n/C) \wedge O(A/B \vee C)) \to O(A/B)$;

A8 $(P(B/B \vee C) \wedge O(A/B \vee C)) \to O(A/B)$.

From Fernandes[16]

Lemma 1. *Given a theorem α^Σ, there is a proof of α^Σ in the context $\{N, u\}$, in which the variables N and u do not occur in the proof.*

We now present a proof for each rule and axiom:

(R1) From completeness of PUC-ND;
(R2) Modus Ponens is a valid rule in PUC-ND;
(A1) By definition.

(R3) Given some proof $\Pi \vdash (A \to B) \wedge (B \to A)$, by lemma 1 and rule 1 of PUC-ND, we have a proof $\Psi \vdash^{N,u}_{N,u} A \to B$. We present the proof of $O(A/C) \to O(B/C)$. The proof of $O(B/C) \to O(A/C)$ is similar.

(R4) Given some proof $\Pi \vdash (B \to C) \wedge (C \to B)$, by lemma 1, we have a proof $\Psi \vdash^{N,u}_{N,u} (B \to C) \wedge (C \to B)$. We present the proof of $O(A/C) \to O(A/B)$. The proof of $O(A/B) \to O(A/C)$ is similar.


R3
R4
Π1

$$\dfrac{\dfrac{\dfrac{{}^{2}[(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc]}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc}}{C^\bullet \wedge (C \to (A \wedge B))^*}\circledcirc \quad \dfrac{\Pi_2}{(C^\bullet \wedge (C \to A)^*)^\circledcirc} \quad \dfrac{\Pi_3}{(C^\bullet \wedge (C \to B)^*)^\circledcirc}}{\dfrac{(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc \to (C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}}\,\mathbf{A2}$$

Π_2 and Π_3 are similar.

$$\dfrac{\dfrac{\dfrac{C^\bullet \wedge (C \to (A \wedge B))^*}{C^\bullet \wedge (C \to (A \wedge B))^*}N}{C^\bullet}N \quad \dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{C^\bullet \wedge (C \to (A \wedge B))^*}{C^\bullet \wedge (C \to (A \wedge B))^*}N}{(C \to (A \wedge B))^*}N}{C \to (A \wedge B)}N,*}{A \wedge B}N,* \quad \dfrac{\dfrac{{}^{1}[C]}{C}N,*}{A}N,*}{C \to A}N,*}{(C \to A)^*}N}{C^\bullet \wedge (C \to A)^*}N}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc \quad C^\bullet \wedge (C \to A)^*}\circledcirc}{(C^\bullet \wedge (C \to A)^*)^\circledcirc}\,\mathbf{\Pi_2}$$

$$\dfrac{\dfrac{\dfrac{\dfrac{[(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc]}{(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}}{(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}}{(C^\bullet \wedge (C \to A)^*)^\circledcirc}\circledcirc \quad \dfrac{\dfrac{[(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc]}{(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}}{(C^\bullet \wedge (C \to B)^*)^\circledcirc}}{C^\bullet \wedge (C \to B)^*} \quad \dfrac{\dfrac{[\downarrow N]}{\Pi_4}M \quad \dfrac{[\downarrow M]}{\Pi_5}N}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc}}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc}}{(C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc}}{((C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc) \to (C^\bullet \wedge (C \to (A \wedge B))^*)^\circledcirc}\,\mathbf{A2}$$

Π_4 and Π_5 are similar.

$$\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{\dfrac{C^\bullet \wedge (C \to A)^*}{C^\bullet \wedge (C \to A)^*}N}{(C \to A)^*}N \quad \dfrac{\downarrow N}{\downarrow N}M}{(C \to A)^*}M}{C \to A}M,* \quad \dfrac{[C]}{C}M,*}{A}M,* \quad \dfrac{\dfrac{\dfrac{\dfrac{C^\bullet \wedge (C \to B)^*}{C^\bullet \wedge (C \to B)^*}M}{(C \to B)^*}M}{C \to B}M,* \quad \dfrac{[C]}{C}M,*}{B}M,*}{A \wedge B}M,*}{C \to (A \wedge B)}M}{(C \to (A \wedge B))^*}M \quad \dfrac{\dfrac{[(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc]}{(C^\bullet \wedge (C \to A)^*)^\circledcirc \wedge (C^\bullet \wedge (C \to B)^*)^\circledcirc}}{(C^\bullet \wedge (C \to A)^*)^\circledcirc}}{(C^\bullet \wedge (C \to A)^*)^\circledcirc}\,\mathbf{\Pi_4}$$


A3
Π6
A4
Π6 and Π7 similar.

A5

$$\dfrac{\dfrac{\dfrac{

$$\mathbf{\Pi_{11}}\quad \dfrac{\dfrac{^{2}[B\vee C]}{B\vee C}\,N,*\qquad \dfrac{\dfrac{\dfrac{^{3}[B]}{B}\,N,*\qquad \dfrac{\dfrac{B^{\bullet}\wedge(B\to A)^{*}}{B^{\bullet}\wedge(B\to A)^{*}}\,N}{(B\to A)^{*}}\,N}{B\to A}\,N,*\qquad \dfrac{^{3}[C]}{C}\,N,*\qquad \dfrac{\dfrac{\dfrac{C^{\bullet}\wedge(C\to A)^{*}}{C^{\bullet}\wedge(C\to A)^{*}}\,M}{(C\to A)^{*}}\,M\qquad \dfrac{\downarrow M}{\downarrow M}\,N}{(C\to A)^{*}}\,N}{C\to A}\,N,*}{A}\,N,*\qquad \dfrac{}{A}\,N,*}{A}\,N,*}{\dfrac{A}{(B\vee C)\to A}\,N,*}\,2}{((B\vee C)\to A)^{*}}\,N}\,3$$

$$\mathbf{A7}\quad \dfrac{\dfrac{\dfrac{\dfrac{^{1}[\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}]}{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}\,\circledcirc\qquad \dfrac{\Pi_{12}}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}\,1}{(\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc})\to(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}$$

$$\mathbf{\Pi_{12}}\quad \dfrac{\dfrac{\dfrac{\dfrac{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}\,N}{(B\vee C)^{\bullet}}\,N}{B\vee C}\,N,\bullet\qquad \dfrac{\dfrac{\dfrac{^{1}[B]}{B}\,N,\bullet}{\Pi_{13}}\,N}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}\qquad \dfrac{\dfrac{\dfrac{^{1}[C]}{C}\,N,\bullet}{\Pi_{14}}\,N}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}\,1$$

$$\mathbf{\Pi_{13}}\quad \dfrac{\dfrac{\dfrac{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}\qquad \dfrac{\dfrac{\dfrac{B}{B}\,N,\bullet}{B^{\bullet}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}}{B^{\bullet}\wedge(B\to A)^{*}}\,\circledcirc}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}$$

$$\dfrac{\dfrac{\dfrac{\dfrac{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}\,N}{((B\vee C)\to A)^{*}}\,N}{(B\vee C)\to A}\,N,*}{B\vee C}\,N,*\qquad \dfrac{\dfrac{A}{B\to A}\,N,*}{(B\to A)^{*}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}\,1$$

$$\infty$$

$$\mathbf{A8}\ \dfrac{\dfrac{{}^{1}[\neg(((B\vee C)^{\bullet}\wedge((B\vee C)\to\neg B)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}]}{\neg(((B\vee C)^{\bullet}\wedge((B\vee C)\to\neg B)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{\dfrac{((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}{(B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*}}\circledcirc}\qquad\dfrac{\Pi_{16}}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}\,1}{(\neg(((B\vee C)^{\bullet}\wedge((B\vee C)\to\neg B)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc})\to(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}$$

$$\mathbf{\Pi_{14}}\ \dfrac{\dfrac{\dfrac{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})}\qquad\dfrac{\dfrac{\dfrac{C}{C}\,N,\bullet}{\Pi_{15}}}{(C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc}}}{\dfrac{\bot_n}{(B^{\bullet}\wedge(B\to A)^{*})^{\circledcirc}}}\,N,*$$

$$\mathbf{\Pi_{15}}\ \dfrac{\dfrac{\dfrac{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}{\neg((C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}\qquad\dfrac{\dfrac{\dfrac{C}{C}\,N,\bullet}{C^{\bullet}}\,N\qquad\dfrac{\dfrac{\dfrac{[\bot_n]}{\bot_n}\,N,*}{\neg\bot_n}\,N,*}{C\to\neg\bot_n}\,N}{(C\to\neg\bot_n)^{*}}\,N}{C^{\bullet}\wedge(C\to\neg\bot_n)^{*}}\circledcirc}{C^{\bullet}\wedge(C\to\neg\bot_n)^{*})^{\circledcirc}}$$

$$\mathbf{\Pi_{16}}\ \dfrac{\dfrac{\dfrac{\neg(((B\vee C)^{\bullet}\wedge((B\vee C)\to\neg B)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}{\neg(((B\vee C)^{\bullet}\wedge((B\vee C)\to\neg B)^{*})^{\circledcirc})\wedge((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}}{((B\vee C)^{\bullet}\wedge((B\vee C)\to A)^{*})^{\circledcirc}}\qquad\dfrac{\Pi_{17}}{B^{\bullet}\wedge(B\to A)^{*}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}\circledcirc$$

$$\mathbf{\Pi_{17}}\ \dfrac{\dfrac{\Pi_{18}}{B^{\bullet}\vee\neg(B^{\bullet})}\,N\qquad\dfrac{\dfrac{[B^{\bullet}]}{\Pi_{19}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}\,N\qquad\dfrac{\dfrac{[\neg(B^{\bullet})]}{\Pi_{20}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}\,N}{B^{\bullet}\wedge(B\to A)^{*}}\,N$$

$$\dfrac{\dfrac{\dfrac{

$$\dfrac{\dfrac{\dfrac{\dfrac{\neg(((B \vee C)^{\bullet} \wedge ((B \vee C) \to \neg B)^{*})^{\circledcirc}) \wedge ((B \vee C)^{\bullet} \wedge ((B \vee C) \to A)^{*})^{\circledcirc}}{\neg(((B \vee C)^{\bullet} \wedge ((B \vee C) \to \neg B)^{*})^{\circledcirc}) \wedge ((B \vee C)^{\bullet} \wedge ((B \vee C) \to A)^{*})^{\circledcirc}}}{\neg(((B \vee C)^{\bullet} \wedge ((B \vee C) \to \neg B)^{*})^{\circledcirc})} \quad \dfrac{\dfrac{}{(B \vee C)^{\bullet} \wedge ((B \vee C) \to \neg B)^{*}}}{((B \vee C)^{\bullet} \wedge ((B \vee C) \to \neg B)^{*})^{\circledcirc}}}{\dfrac{\dfrac{\bot_n}{(B^{\bullet} \wedge (B \to A)^{*})^{N}}}{B^{\bullet} \wedge (B \to A)^{*}}\, N}}$$

Π21

Conclusions

We could represent the rules and axioms of the very basic ***CO*** logic and prove its relative completeness in PUC-Logic framework. It means that every deontic logic proposed by Lewis can be represented and has its completeness in PUC-Logic.

References

[1] Lewis, D. K., "Counterfactuals", Blackwell Publishing, 2008.
[2] Lewis, D. K., "Papers in ethics and social philosophy", Cambridge University Press, 2000.
[3] Goodman, N., "Fact, Fiction, and Forecast", 4th Edition, Harvard University Press, 1983.
[4] Bell, J. L., "Toposes and Local Set Theories", Dover Publications, 2008.
[5] Knuth, D. E., "Semantics of context-free languages", Mathematical Systems Theory 2 (1968).
[6] Goldblatt, R., "Topoi: The categorical analysis of logic", Dover, 2006.
[7] Goldblatt, R., "Logics of time and computation", CSLI lecture notes, 1992.
[8] Prawitz, D., "Natural Deduction: a proof-theoretical study", Dover, 2006.
[9] do Amaral, F. N. and E. H. Haeusler, "Using the internal logic of a topos to model search spaces for problems", Logic Journal of IGPL (2007).
[10] Menezes, P. B. and E. H. Haeusler, "Teoria das Categorias para Ciência da Computação", Editora Sagra Luzatto, 2006.
[11] Ramsey, F. P., "Philosophical papers", Cambridge University Press, 1990.
[12] Gent, I. P., "A Sequent- or Tableau-style System for Lewis's Counterfactual Logic VC", Notre Dame Journal of Formal Logic, vol. 33, no. 3, pp. 369-382, 1992.
[13] Bonevac, D., "Deduction: Introductory Symbolic Logic", Blackwell, 2003.
[14] Sano, K., "Hybrid counterfactual logics", Journal of Logic, Language and Information, volume 18, No. 4, pp 515-539, 2009.
[15] López-Escobar, E.G.K., "Implicational Logics in Natural Deduction Systems", Journal of Symbolic Logic, Vol. 47, No. 1, pp. 184-186, 1982
[16] Fernandes, R.Q.A., Haeusler, E.H., Pereira, L.C.P.D., "PUC-Logic", available at http://arxiv.org/abs/1402.1535
[17] Fernandes, R.Q.A., Haeusler, E.H., Pereira, L.C.P.D., "A Natural Deduction System for Counterfactual Logic", in XVI Encontro Brasileiro de Lógica, Petrópolis, 2011.
[18] Fernandes, R.Q.A., Haeusler, E.H., "A Topos-Theoretic Approach to Counterfactual Logic", in Fourth Workshop on Logical and Semantic Frameworks, Brasília, 2009. Pre-proceedings, 2009.
[19] Hansson, B., "An Analysis of some Deontic Logics", Noûs, Vol. 3, No. 4, pp. 373-398, 1969.
[20] van Dalen, D., "Logic and Structure", Springer, 2008.
[21] Libkin, L., "Elements of Finite Model Theory", Springer, 2010.
[22] Troelstra, A. S., Schwichtenberg, H., "Basic Proof Theory", Cambridge University Press, 2000.
[23] Lambert, K., "Free Logic: selected essays", Cambridge University Press, 2004.
[24] Cook, S. A., "The complexity of theorem proving procedures", In 3rd Annual ACM Symposium on the Theory of Computation, pages 151-158, 1971.
[25] Statman, R., "Intuitioinistic propositional logic is polinomial-space complete", Journal of Theoretical Computer Science, vol. 9, no. 1, pp. 67-72, 1979.
[26] Lellmann, B., Pattinson, D., "Sequent Systems for Lewis' Conditional Logics", In 13th European Conference on Logics in Artificial Intelligence, 2012.